

Res'd PCT/PTO 04 FEB 2005



PCT/AU03/00984


10/523660

Patent Office
Canberra

REC'D 02 SEP 2003

WIPO PCT

I, JULIE BILLINGSLEY, TEAM LEADER EXAMINATION SUPPORT AND SALES hereby certify that annexed is a true copy of the Provisional specification in connection with Application No. 2002952981 for a patent by YARRA RIDGE P/L as filed on 28 November 2002.



WITNESS my hand this
Twenty-first day of August 2003

J. Billingsley

JULIE BILLINGSLEY
TEAM LEADER EXAMINATION
SUPPORT AND SALES

**PRIORITY
DOCUMENT**

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

BEST AVAILABLE COPY

Improvements in lock bolts and strike plates

The lock comprises two flat pivoting disks 1 with a 'T' cross section 2, fixed on pins to the lock case 3.

The disks pivot forward 4 to engage in metal strike fixed to door jamb 5 comprising of a slotted profile 6.

The lock can operate in an up and down displacement while engaged in metal strike 7.

BEST AVAILABLE COPY




Fig 1




Fig 2

BEST AVAILABLE COPY




Fig 3




Fig 4.




Fig 5.

BEST AVAILABLE COPY